


## ARRIFLEX 16S – ARRIFLEX 16M PRICE SCHEDULE



## ARRIFLEX 16S

Description

User Net

Price

**CAMERAS** 301 001 Arriflex 16S, extra-light, ultra-compact professional 16mm camera, with 100 ft. internal daylight-spool film capacity. Mirror-shutter, Reflex Finder System and provision for inter-changeable ground glass. With precision Registration Pin, Buckle Switch and Buckle Switch Over-Ride. Camera also accepts S-400 ft. magazine and motor-driven take-up and S-200 ft. magazine with motordrive take-up. Supplied with battery cable, neckstrap, oiler, three lens cavity caps, test film and guarantee and import certificate. Priced WITHOUT MOTOR, LENSES, MATTE-BOX OR MAGAZINE. 1995.00\* 301 002 Arriflex 16S-GS Camera, Includes all features of the Arriflex 16S above, PLUS: Factory installed Control Signal Generator and Automatic Clap-Stick§ with 2450.00\* provision for Scene Marking. \*Reference prices only. Cameras are sold only with matte-box, customer's choice of motor(s), and customer's choice of lenses. Extra charge for empty sockets (see remarks under "Lenses"). §Original factory installation only. For sync signal generator installation on other Arriflex cameras, see below. FILM MAGAZINES AND ACCESSORIES FOR ARRIFLEX 16S 339 200 400 ft. 16mm Film Magazine for Arriflex 16S (requires Torque Motor Cat. No. 172.00 Torque Motor for 400ft 16mm magazine (only one motor needed per camera) 188.00 339 320 339 213 200 ft. 16mm Film Magazine for Arriflex 16S (requires Torque Motor Cat. No. 172.00 Special Torque Motor for 200ft. 16mm Magazine ..... 339 321 188.00 6.00 339 201 Core Adapter for Magazine (replacement) ..... 339 202 Camera Magazine-opening Cover (replacement) ..... 14.00 332 020 ‡Fiber Carrying Case for 3 400ft 16mm magazines and one Torque Motor ...... 48.00 CASES FOR ARRIFLEX 16S Arri camera cases are especially designed for safe storage and transport of Arriflex cameras. The outside is covered with heavy gauge hammered aluminum with reinforced corners and the cover closure has double channelling. All locks and hardware are chrome plated. The inside is finished in red plush and is partitioned and fitted to hold camera and accessories safely. 332 000 Deluxe Compartment Case MODEL A for Arriflex 16S and matte box, lenses, 98.00 filters, accessories (Size: 15x9x8"—Weight: 8 lbs.) Deluxe Compartment Case MODEL B for Arriflex 16S. In addition to equip-332 001 ment listed under A Case, holds camera with attached 400ft. magazine, two 400ft. 16mm magazines, torque motor, shoulder pod, and other accessories. (Size: 24x16x81/2"—Weight: 20 lbs.) 148.00 **CONTROL SIGNAL SYSTEM** Control Signal Generator ONLY (does not include Automatic Clap-Stick 339 351 which cannot be added, once camera is assembled) ...... 128.00 Installation of Signal Generator only ..... 130.00 POWER CABLES FOR ARRIFLEX 16S 6 ft. Power Cable for Arriflex 16S, for use with Nickel Cadmium Batteries 339 400 8.00 339 402 15 ft. Power Cable for Arriflex 16S for use with Nickel Cadmium Batteries ... 10.00 339 420 Special Ground Connection Cable (replacement); goes from main Cable to Torque Motor 1.20 339 440 6 ft. Power Cable for Arriflex 16S, with 12 pin Dryfit Battery connector ....... 18.00 339 442 Coil-cord Power Cable, 2ft./6ft. for Arriflex 16S, with 12 pin Dryfit Battery Power cable, 11/4 ft. for Arriflex 16S, with 12 pin connector for special 21.50 339 444 Dryfit Battery, Cat. No. 331 036, for use with Arri Body-Brace 18.00

Order

Code

## ARRIFLEX 16M

Description

Order

Code

CAMERA Arriflex 16M, Magazine Camera. Designed for 200/400/1200 ft. geared, 301 005 sprocketed, quick-change magazines. (No internal film capacity). Reflex Finder, Registration Pin and all other major features similar to the Arriflex 16S. Comes with built-in 60 cycle Sync Signal Generator, Automatic Clapstick and with provision for Scene Marking. Supplied with cover plate for magazine opening, battery cable, neck strap, test film, quarantee and import certificate, Priced WITHOUT MOTOR, LENSES, MATTE-BOX OR MAGA-2495.00\* ZINES. \*Reference prices only. Cameras are sold only with matte-box, customer's choice of motor(s), and customer's choice of lenses. Extra charge for empty sockets (see remarks under "Lenses"). FILM MAGAZINES AND ACCESSORIES FOR ARRIFLEX 16M M200 foot gear-driven, quick-change magazine, darkroom load, for Arriflex 339 210 16M. Operates Forward and Reverse. Accepts also 100 foot daylight spools. Complete with loop protector. 210.00 M400 foot gear-driven, quick-change magazine, darkroom load, for Arriflex 339 211 16M. Operates Forward and Reverse. Accepts also 200 foot daylight spools. 228.00 Complete with loop protector. M1200 foot gear-driven, quick-change magazine, coaxial, double compartment. 339 212 Complete with loop protector. 640.00 Camera magazine opening cover for Arri-16M (replacement). 10.00 339 203 Collapsible core for 16M magazines (replacement). 10.00 339 204 Regular Core Adapter for Magazine (replacement) 6.00 339 201 Film Loop Protector for Arriflex 16M magazine (replacement) ..... 6.00 339 228 CASES FOR ARRIFLEX 16M Alu Camera case for Arriflex 16M, heavy gauge hammered aluminum exterior, 332 002 reinforced corners and chanelled, dust-tight cover closure, corduroy lined, fitted interior, accepts Arri 16M, with three lenses, matte-box, one 200/400 124.00 foot magazine. ‡Fibre utility Camera Carrying Case, lined and fitted for Arriflex 16M, two 332 003 84.00 M400 ft. magazines, three regular lenses, matte-box and other accessories. .... Alu Magazine case, hammered aluminum exterior, fitted corduroy lined 332 024 interior, holds four M200 or four M400 ft. magazines. 132.00 tMagazine carrying case, fibre and plywood, lined and fitted for three M400 332 022 48.00 ft. magazines ‡Fibre case lined and fitted for one M1200 ft. magazine. 332 025 44.00 **POWER CABLES FOR ARRIFLEX 16M** 6 ft. Power Cable for Arriflex 16M, for use with Nickel Cadmium Batteries 339 401 (replacement) 10.00 15 ft. Power Cable for Arriflex 16M, for use with Nickel Cadmium Batteries 12.00 339 403 339 441 6 ft. Power Cable for Arriflex 16M, with 12 pin Dryfit Battery connector ....... 19.95 Coil-cord Power Cable, 2 ft./6 ft. for Arriflex 16M, with 12-pin Dryfit 339 443 24.00 Battery connector 339 445 Power Cable, 11/4 ft. for Arriflex 16M, with 12-pin connector for special Dryfit Battery, Cat. No. 331 036, for use with Arri Body-Brace. 19.50 (Continued)

User Net

Price

Order Code	ACCESSORIES FOR ARRIFLEX 16S AND ARRIFLEX 16M  Description	User Net Price
	MATTE BOX AND EFFECTS MATTES 16S/16M	
339 000	MATTE BOX, adjustable, with one stationary and one rotatable filter stage	128.00
	CAMERA  Acriffor 1484, Magazine Camera, Designed, for 200/400/1 STTAM and	
339 020	"Window" 21/4" x 23/4"	4.40
339 021	"Binocular" Small 1-3/8" x 31/4"	4.40
339 022	"Binocular" Large 234" x 134"	4.40
339 023	"Keyhole" Small 3/4" x 1-3/8"	4.40
339 024	"Keyhole" Large 13/4" x 23/4"	4.40
	MOTORS 16S/16M	
339 301	GOVERNOR CONTROLLED MOTOR (24 FPS), 8V. DC. Also available for 16 FPS.	220.00
339 300	VARIABLE SPEED MOTOR, 8 V. DC	156.00
339 302	SYNCHRONOUS 42 V Motor (24 FPS); for 110 V. 60 cycle AC; (also available for 50 cycle AC). Complete with Power Supply	576.00
339 304	Power Supply ONLY—Replacement (for Cat. #339 302)	298.00
339 303	Synchronous Motor ONLY—Replacement (for Cat. #339 302)	320.00
57.8706	Complete with loop protector.	320.00
339 307	Synchronous Motor, for direct 110-120V 60 cycle AC operation (24FPS), for use with Arriflex 16S/16M Cameras (no 8-volt D.C. supply included); with accoustically isolated gear train	340.00
339 360	Mechanical Phase Shifting Attachment for Synchronous Motor, for Suppressed Frame Kinescope Recording applications (The camera must be provided with a special shutter opening equivalent to 144°, or with a special synchronous motor geared for 30 FPS: available on special order)	168.00
	LENSES	
22 PQ85	Our lenses are made by the world's best optical firms, to Arri's strict optical and mechanical tolerances. Each lens is carefully bench-tested. Because all the costly precision which is incorporated into the Arriflex could be endangered by inferior optics or poor mounts, we must protect Arriflex quality by not selling cameras without lenses.	
	In special cases where an exception may be made to this rule, we reserve the right to charge for each empty lens socket	50.00
	interior, holds four M200 or four M400 ft. magazines.	
22.30.00	SCHNEIDER-KREUZNACH Lenses with follow-focus grips and click stops:	12 022
311 110	10mm f/1.8 T2 Cinegon	272.00
311 112	16mm f/2 T2.2 Cinegon	200.00
311 121	25mm f/1.4 T2 Cine Xenon	192.00
311 122	28mm f/2 T2.2 Cine Xenon	244.00
311 123	35mm f/2 T2.2 Cine Xenon	256.00
311 124	40mm f/2 T2.2 Cine Xenon	256.00
311 125	50mm f/2 T2.2 Cine Xenon	224.00
311 126	75mm f/2 T2.2 Cine Xenon	264.00
311 127	100mm f/2 T2.2 Cine Xenon (no follow-focus grips)	560.00
4	(Continued)	

Order Code	ACCESSORIES FOR ARRIFLEX 16S AND ARRIFLEX 16M  Description	User Ne Price
	*TAYLOR-HOBSON-COOKE Lenses with T stops only with follow-focus grips	
311 300	9mm T2 Kinetal	412.00
311 302	17.5mm T2 Kinetal	488.00
	25mm T2 Kinetal	392.00
311 303	37.5mm T2 Kinetal	392.00
304	50mm T2 Kinetal	420.00
311 305	75mm T2.8 Kinetal	420.00
311 306	100mm T2.8 Kinetal	440.00
311 307	150mm T4 Kinetal	480.00
311 308	*Deliveries of Taylor-Hobson Cooke lenses are often uncertain. Please contact us for latest delivery information.	
	CARL ZEISS (WEST GERMAN) Lenses with follow-focus grip & click stops	
311 146	8mm f/2 T2.2 Distagon	496.0
811 140	16mm f/2 T2.2 Planar	200.00
(6), (6), (7), (7), (9)	25mm f/2 T2.2 Planar	200.00
311 141	32mm f/2 Planar	190.00
311 142	50mm f/2 T2.2 Planar	260.0
11 143	85mm f/2 Sonnar (no click stop)	260.0
311 144 311 145	Carl Zeiss F4, 135mm Sonnar. (No follow-focus-no click stops.) In satin chrome finish, in mount for Arriflex-35/16	180.0
	TEGEA	
311 200	5.7mm Extreme Wide Angle f/1.8 T2 Tegea lens with built-in filter slot for 2x2" glass filters	544.0
333 702	Special Lens Shade for 5.7mm Tegea lens	25.0
	ten mem t divided that I de Class Essue	
312 110	40mm f/2.8 Kilfith Makro-Kilar (focuses to 4")	185.0
332 055	Leather case for 40mm Makro Kilar	6.0
312 112	90mm f/2.8 Kilfitt Super Makro-Kilar (Infinity to 1:1) complete with "Wear"  Arriflex mount	219.5
332 056	Leather case for 90mm Makro Kilar	9.0
312 905	Arri Mount (code Wear) for 90mm Makro-Kilar (replacement-for lenses with serial numbers starting #243—)	25.0
312 901	Arri Mount (code Rezar) for 90mm Makro-Kilar lens ,replacement-for lenses with serial numbers starting #219—)	17.
	CARL ZEISS (WEST GERMAN) VARIFOCAL LENS	
311 147	12.5mm to 75mm f/2 Zeiss Vario Sonnar for Arri-16	896.0
	BERTHIOT-PAN CINOR VARIFOCAL lenses with lens shade and filter holder 17mm to 85mm f/2 PanCinor Model 85 for Arriflex	448.
311 401		15.
311 903	‡1 Diopter CloseUp lens for PanCinor 85	15.
311 904	‡2 Diopter CloseUp lens for PanCinor 85	15.
	ANGENIEUX VARIFOCAL LENSES	
311 410	17.5mm to 70mm f/2.2 Angenieux Model 70 for Arriflex	440.
311 411	12mm to 120mm f/2.2, T2.5 Angenieux Model 120 for Arri-16	896.
339 325	‡DOM Motor Drive for model 120 Angenieux zoom lens with Control Unit and adjustable stops	280.
311 905	‡1/2 Diopter CloseUp lens for Angenieux 120	18.
311 906	‡1 Diopter CloseUp lens for Angenieux 120	18.
333 700	†Special Lens Shade for Angenieux 120 for use with filter holder supplied with lens	13.
333 701	‡No. 85 Filter for Angenieux I20	13.
311 412	35mm to 140mm Angenieux, f/3.5 Model 140, for Arri-16 & Arri-35	1395.
311 413	25mm to 250mm f/3.2, T3.9 Angenieux Model 250—Requires Lens Cradle, Cat. #339 059 and Camera Platform (Specify camera)	2520
	12mm to 240mm f/3.5 Angenieux Model 240-Requires Lens Cradle, Cat.	

Order Code	ACCESSORIES FOR ARRIFLEX 16S AND ARRIFLEX 16M  Description	User Net Price
	TELEPHOTO LENSES	
312 102	KILFITT-MUNICH TELEPHOTO LENSES	
00.000	150mm f/3.5 Kilar—Requires Kizar Mount	174.50
333 504	‡Filter Holder, Series 7, for 150mm Tele-Kilar	5.50
332 050	Leather Case for 150mm Kilar	14.00
312 103	300mm f/5.6 TeleKilar—Requires Kizar Mount	
333 505	‡Filter Holder, Series 8, for 300mm Tele-Kilar	224.50
332 051	Leather Case for 300mm TeleKilar	6.95
312 104	300mm f/4 Pan TeleKilar with Deluxe Case—Requires Anzar Mount, and Lens	15.00
29 023	Cradle, Cat. #339 056, plus Camera Platform	469.50
312 106	400mm f/4 Sport Fern Kilar with Deluxe Case—Requires Wear Adapter, and Lens Cradle, Cat. #339 056, plus Camera Platform	499.50
312 108	600mm f/5.6 Sport Fern Kilar—shipped with case shown below unless otherwise	477.50
	specified—Requires Anzar Mount, and Lens Cradle, Cat. #339 050, plus Camera Platform	F00 F0
332 054	Deluxe Travel Case for 600mm Sport Fern Kilar	599.50
312 902	ArriMount (Code Kizar) for 135-150-300mm Basic Kilars	39.50
312 904	*Arri Mount (Anzar) for Fern, Sport Fern and Pan Tele lenses	17.50
312 905	*Arri Mount (Code Wear) for 400mm Sport Fern Kilar	25.00
700:091	*When ordering adapter for lens supplied previously, please specify serial number	25.00
	LENS CRADLES	
	The cradles listed below support the lens only and require a Camera Platform	
	for either the Arriflex 16 or Arriflex 35. When ordering, the lens and camera with which the cradle will be used must be specified	
339 056	Adjustable lens cradle for 300mm Pan Tele Kilar/400mm Sport Fern Kilar	190.00
339 050	Adjustable lens cradle for 600mm Sport Fern Kilar	280.00
339 059	Adjustable lens cradle for Angenieux Model 250	220.00
339 061	Adjustable lens cradle for Angenieux Model 240	
339 052	Camera Platform for Arriflex 16—for Cradles listed above	220.00
339 051	Camera Platform for Arriflex 35—for Cradles listed above	45.00 45.00
	FINDER ACCESSORIES AND SPECIAL GROUND GLASSES	305 215
339 100	Periscopic Finder Attachment	200.00
339 110	Foam Rubber Eye Cushion to fit over eyecup	298.00
339 120	Auxiliary larget Finder for Arri-16 with Divisible Eyepiece. Serial #7501 to	3.00
39 121	#8900 #8901 #8901 #8901	80.00
	and higher and for Arriflex-16M	80.00
39 114	Regular Viewfinder eye piece, complete with snap-on eye-cup for Arriflex- 16S/16M and Arriflex-35 2C cameras (replacement)	105.00
39 113	Special Automatic-Closure Eye piece, complete with snap-on eye cup, op- tional replacement for all Arriflex cameras with detachable eye piece assembly	906 11E
39 115	Snap-on Rubber Eye-Cup Assembly only, with cover door, and machined re-	148.00
	cess for 15.5mm spectacle lens (replacement)	18.00
	Special marked ground glass can be installed in Arriflex 16 cameras with serial #8901 and higher. For cameras with serial #7501 to 8900 the finder	
39 130	must be updated by means of a Finder Modernization Set	
39 131	Ground Glass with TV cutoff and crosshair	28.00
39 132	Ground Glass with Projector Aperture and cross hair Finder Modernization Set (less ground glass) for Arriflex 16's serial #7501 to	28.00
45.EE	#8900	44.00
	Installation labor only of ground glass, Arriflex 16's #8901 and higher	32.00
	Installation labor only of Finder Modernization Set and ground glass, Arriflex 16's serial #7501 to 8900	
	(Continued)	60.00
	Community of the Control of the Cont	

Orde Code		ACCESSORIES FOR ARRIFLEX 16S AND ARRIFLEX 16M  Description	User Ne Price
		SOUND BLIMPS, BARNEYS AND ACCESSORIES	
321	081	SOUND BLIMP FOR ARRIFLEX 16S only; wired for both 110V 60 Cycle AC and 8V DC operation, but supplied with cables for 110V AC operation only. Complete with follow-focus system at side and back (for operator and assistant); quick change camera mount; with built-in holder for 3" sq. filters and roof prism optical finder system. Takes Arriflex 16S Camera with 400ft. magazine and synchronous motor. Requires footage counter, matte-box and	
		fitted wooden storage and shipping case listed below	1995.00
321	094	Adjustable Matte-Box for Arriflex 16 Blimp	220.00
321	900	Fitted Wooden Shipping and Storage case for Arriflex 16 Blimp	55.00
339	450	Cable, long, for external Blimp power connection to 8V DC power supply (Arriflex 16 Blimp serial #509 and higher)	21.00
339	451	Cable, short, for internal Blimp connection from camera to Blimp electrical Terminal (for use with Cat. #339 450)	21.00
321	600	Three-Digit Geared Footage Counter for use with synchronous motor in blimp (essential for use with Arriflex 16 Blimp)	208.00
339	452	Power Cable (replacement) for Synchronous Motor or AC Blimp connection	32.00
321	050	Conversion Kit for Arri-16 Blimp. Modifies blimp to operate focus and zoom of 70mm Angenieux from outside	530.00
321	061	Inching attachment, for use with Arriflex-16 Governor Controlled motor and blimp (in connection with control signal synchronous recording systems)	128.00
321	620	UNIVERSAL FIBRE GLASS BLIMP FOR BOTH ARRIFLEX-16S/16M; Wired for both 42V 60 cycle AC and 8V DC operation; supplied with mounting plate for Arriflex 16M only, with cables for 42V synch motor and for 8V DC power supply, connections for 60 cycle signal generator; start-stop switch cable. Complete with follow-focus system and external lens diaphragm control; with built in holder for 3" square filters and roof prism optical finder system; Blimp top for 400 ft. magazines. Requires matte-box, fitted wooden storage case and diaphragm adapter rings listed below	2395.00
321	090	Lightweight adjustable matte-box for Fibre Glass Blimp	185.00
321	903	Fitted wooden storage and shipping case for Fibre Glass Blimp	55.00
321	910	Adapter ring for diaphragm linkage for Schneider lenses (specify focal length)	22.50
321	911	Adapter ring for diaphragm linkage for Zeiss lenses (specify focal length)	28.00
321	912	Adapter ring for diaphragm linkage for Taylor-Hobson-Cooke lenses (specify focal length)	28.00
321	180	Base plate for Arriflex-16S	120.00
321	080	Base plate for Arriflex-16M (Replacement)	120.00
339	460	Cable, for internal Blimp connection from Arriflex-16S to electric terminal	18.00
339	459	Cable, for internal Blimp connection from Arriflex-16M to electrical terminal (replacement)	18.00
321	056	Conversion Kit for Fibre Glass Blimp with model 120 Angenieux lens. Modifies Blimp to operate focus and zoom from outside	375.00
321	054	Conversion Kit for Fibre Glass Blimp with model 70 Angenieux lens	96.00
321	055	Conversion Blimp top for Fibre Glass Blimp; accomodates 1200' magazine with Arriflex-16M	325.00
21	500	‡DOM Sound Barney for Arri-16S with 400' Magazine	124.50
ASSES TO LABOR.			

(Continued)

‡DOM Sound Barney for Arriflex-16M with M400 ft. magazzine.

321 502

124.50

User Net

Price Code Description **AUTOMATIC SLATING SYSTEM ACCESSORIES** 339 355 Oscillator/Scene Marker for Arriflex-16M (also for Arriflex-16S with factoryinstalled Generator and Automatic Clap-stick). Provides 1 kc start-mark tone; essential for tape recorders in which start-mark oscillator is not built-in. Additionally, with all tape recorders, supplements Automatic Clap-stick 180.00 system to provide Scene Marking capability. 8.80 339 356 Start Mark Lamps, matched set, for Full Frame Marking (replacement) ...... 339 357 Start Mark Lamps, matched set, for Edge Marking (replacement) 8.80 4.50 339 430 3-Pin Tuchel Plug, male, with locking ring 4-Pin Tuchel Plug, male, with locking ring 4.50 339 432 4.50 339 431 5-Pin Tuchel Plug, male, with locking ring UNDERWATER BLIMP Presently not made by Arri. Names of manufacturers available on request. MICROSCOPE ACCESSORIES 339 042 Stand Adapter—for mounting Arriflex 16 Camera on Leitz Aristophot III and New Panphot Stands (115mm spacing) for Cine-Microscopy ..... 96.00 339 043 28.00 Microscope Connector—consists of Microscope Light Trap, and Arri Mount... 339 133 Clear Glass with cross-hair (replaces normal Ground Glass)—requires Service 44.00 Department installation: see labor charge listing under Finder Accessories ..... ANIMATION AND TIME LAPSE EQUIPMENT 339 342 Arri Single Frame Mechanism, with 4-digit frame counter with outlets (for remote frame counter, flash contact and auxiliary shutter); interchangeable gears for various exposure times (works in conjunction with any Arriflex 16 600.00 339 343 Special geared head for Arriflex-16 single frame mechanism (Cat. #339 342) to provide double pulse operation for time exposures ..... 60.00 339 349 Remote Frame Counter, 8V DC, for Arri Single frame mechanism-Forward and reverse counting up to five digits—complete with connecting cable and 165.00 339 345 Auxiliary Shutter for use with Single Frame Mechanism or Animation/Time Lapse Motor; caps lens automatically, attaches to matte box boom, for 8V DC current 205.00 339 339 ‡New DOM Animation/Time Lapse Motor with built-in frame counter and flash synchronization, single/double pulse operation, outlet for Arri Auxiliary Shutter and programmed 8V DC supply for 400ft magazine take-up. Indicator light shows when camera shutter is open. Produces exposure times of 1/8, 1/4, or 1/2 second, selectively 750.00 339 348 Geared hand crank mechanism for manual drive of the Arriflex-16 (Useful for filming inanimate subject in extremely poor light) ..... 70.00 INTERVALOMETERS for use with Arri or DOM animation/time lapse units. Master control to operate camera, lights, auxiliary shutter at predetermined intervals 339 330 Master Intervalometer; with Interval Timer to provide frame intervals of 1, 2, 4 sec. and 6 sec. to 25 minutes, and with Exposure Timer to provide time exposure from 1 to 10 sec.; built-in, controlled 8 volt, DC power supply. (Requires single frame motor equipped for double pulse operation: one pulse to open camera shutter—one pulse to close camera shutter.) ..... 710.00 339 331 Intervalometer; same as unit above with Interval Timer and Exposure Timer. but LESS DC supply and control 640.00

(Continued)

Order

Orde		ACCESSORIES FOR ARRIFLEX 16S AND ARRIFLEX 16M  Description	User Ne Price
		ANIMATION AND TIME LAPSE EQUIPMENT (Continued)	
339	332	‡Intervalometer—same as Cat. #339 330 with Interval Timer and controlled DC supply, but LESS Exposure Timer. (Requires single frame motor to operate	081 14
	333	terrolometer—similar to Cat. #339 330 but with Interval Timer only—LESS Exposure Timer and LESS DC power supply and control	425.00
		Intervalometers may be supplied with Interval Timer giving frame intervals of 1, 2, 4 sec. and 12 sec. to 50 minutes. Must be specified.  Intervalometers Stock #339 330 and 339 331 may be supplied with Exposure Timer to give	
		time exposures from I—30 sec. Add \$10.00. Must be specified.  Longer frame intervals and exposure time available on special order and at additional cost.	
		Please write.	
		BATTERIES, POWER SUPPLIES AND CHARGERS	
331	010	†Nickel-Cadmium Battery #7V04-D and MiniCharger, combined. Battery: Improved nickel-cadmium, alkaline, 8V. 4AH. Charger: Built-in special minia-	140.0
		turized type. Complete with case and shoulder strap	148.0
331	011	‡Nickel-Cadmium Battery #14VO-4-D and Mini-Charger combined. With selector switch:	
		8.4V, 8AH for use with Arriflex 16	
		16.8V, 4AH for use with Arriflex 35	256.0
31	034	Dryfit "Slimline" Battery for Arri 16S/16M, 8 volts 2.6 AH	56.0
31	035	Dryfit "Extra Duty" Battery, 8 volts 5.2 AH	84.0
31	036	Dryfit "Special" Battery for use with Arri Body Brace camera support; 8 volts 2.6 AH	60.0
331	055	Dryfit Transistor-Controlled Automatic Charger for all Arriflex Dryfit Batteries-110-250 volts 50-60 cycle AC	148.0
331	020	‡Portable Dry Cell Battery Pack: two 9 V. Eveready #716 batteries in fibre carrying case, with plug for Arriflex power cable. Wired to give 9 V. in parallel for Arriflex 16, 18 V. in series for Arriflex 35	58.0
331	021	‡Eveready #716 (9 V.) battery for Dry Cell Pack	7.1
331	022	Cable adapter, adapts Eveready #716 Dry Cell battery to accept standard Arriflex 16S cable. (For operation of Camera ONLY without magazine	9.9
339	370	‡Combination Power Supply/Battery Charger. May be used as power supply from regular 110 V. 60 cycle AC power line direct to camera (output 1-20 V.	
		DC) or as charger for Árri 16 8 V. or Arri 35 16 V. lead acid batteries. With built-in ampere meter (1-5 amps). Do not use with Voltabloc Batteries	99.5
		TRIPODS, SHOULDER PODS, BODY BRACES	
	100	Arri Model 16 Tripod, complete with hemispherical joint and pan-head	180.0
41	110	Arri 16 "Shorty" Tripod for use with hemispherical joint and pan-head of Arriflex 16 tripod #341 100	92.0
41	103	Gyro head only, with Pan & Tilt Gyro Movement, to fit Arriflex 16 Tripods #341 100 and #341 110	695.0
141	102	Ball Joint Tripod Head only	99.0
41	101	Tripod Less Head	108.0
41	150	Arri Shoulder Pod, adjustable	39.5
41	151	Arri Pistol Grip for Arriflex 16 camera, with trigger for internal release of shutter	38.0
41	152	Combination Pistol Grip-Shoulder Pod for Arriflex 16, complete with trigger release mechanism and extra counter disc	72.0
141	153	Arri Body Brace combination, folding, with Pistol Grip-with mount for special Dryfit Battery, Cat. #331 036	149.5
41	154	Arri Body Brace with 3/8" camera retaining screw only (no Pistol Grip)	124.5
	155	Pistol Grip, with trigger release for use with Arri Body Brace only (for use with Arri 16S, 16M and Arri 16BL)	32.0
		(Continued) 3 MA TO MOITAGO 9900	

(Continued)

Order Code	ACCESSORIES FOR ARRIFLEX 16S AND ARRIFLEX 16M  Description	User Net Price
	CASES FOR TRIPODS ETC.	
341 170	Leather Boot & Cap for Arriflex 16 Tripod and Pan-Head	59.50
341 180	‡Fibre Carrying Case for Arriflex 16 Tripod and Pan-Head	36.00
341 181	Fibre Carrying Case for Arriflex 16 "Shorty" and Pan-Head	28.00
	FILTERS AND FILTER HOLDERS	132/332
	FILTERS FOR BLACK AND WHITE FILMS: Dyed in the mass optical glass filter, optically flat, precision ground, rectangular to slide into matte box.	
333 000	Medium Yellow Filter — filter factor 2	13.50
333 001	Red Filter — filter factor 5	13.50
333 002	Orange Filter — filter factor 3	13.50
333 006	Green Filter — filter factor 3	13.50
333 004	Graduated (red to yellow) filter	46.00
	FILTERS FOR COLOR FILM: Round Wratten-type filter in rectangular metal	010 18
333 003	UV Filter	27.50
333 010	‡No. I-A (Skylight) reduces bluish haze and gives warmer effect in open shade or noon sunlight from blue sky	24.00
333 011	tNo. 85 Fiter, new all-glass laminate; use with type A Kodachrome. Koda-	
	chrome II and Anscochrome 3400K cine films in daylight; precision ground;	98.00
	rectangular; fits Arri 165/16M Matte-Box.	24.00
	Other color filters are available on special order. POLARIZING FILTERS	
333 005	POLARIZING FILTERS Polarizing Filter, rectangular	36.00
333 003	NEUTRAL DENSITY FILTERS	30.00
333 019	ND .3 Transmission 50 % Factor 2	24.00
333 020	ND .6 Transmission 25 % Factor 4	24.00
333 021	ND .9 Transmission 13 % Factor 8	24.00
333 022	ND 1.2 Transmission 6.5% Factor 16	24.00
	FILTER HOLDERS	
333 501	Filter Holder, rectangular, to fit matte box. Holds both 2x2" glass or gelatine	
8.95	filters; with I frame for gelatine	16.00
33 502	Extra frame for 2x2" gelatine filters (fits Cat. No. 333 501)	3.00
33 503	Filter Holder Kit, consists of filter holder Cat. No. 333 501, 5 filter frames #333 502; complete with fitted leather case	35.00
33 500	‡Series 8 filter adapter, screws into rear of Matte Box	6.95
	LENS ACCESSORIES	
39 040	Extension Tube for close-ups, for lenses in Arri mount	19.50
39 030	Front Lens Cap for Schneider lenses (specify lens)	1.50
39 033	Rear Lens Cap to fit over Arri mount	1.50
39 032	Camera Turret Cavity Cap	2.00
	‡This product is Made in U.S.A.	107 TF-1

"ARRI" and "ARRIFLEX" are trade marks registered with U. S. Patent Office and recorded with U. S. Customs at all ports of entry to prevent unauthorized importation.

All prices f.o.b. New York. Shipping charges additional

## SOLE U.S. DISTRIBUTOR



25-20 Brooklyn-Queens Expressway West,Woodside, N. Y. 11377826 North Cole Avenue, Hollywood, Calif. 90038