ECLAIR CORPORATION OF AMERICA 7262 MELROSE AVENUE LOS ANGELES, CALIFORNIA 90046

## ECLAIR NPR\* 16MM CAMERA (Coutant-Mathot Patents)

June 1, 1969

SPECIFICATIONS	CODE	PRICE
CAME RA *NOISELESS-PORTABLE-REFLEX		
The NPR Camera is delivered in packages with one each, head, magazine, motor, and related accessories described below:		
ECLAIR NPR, professional 16mm reflex camera complete with fully rotating eyepiece; gate and lens hole protectors; variable shutter; convertible turret having one lens position in standard "C" mount and one lens position in Eclair CA-1 mount; standard ground glass showing full camera aperture inside black rectangle; automatic clapper light; complete with tripod cradle adapter.		
MAGAZINE 400' coaxial type, 16mm		
MOTORS: CHOICE OF ONE PER PACKAGE. For detailed description of motors, see Pages 3 and 4.		
12 volt, D.C. 24fps constant speed governed motor, with builtin automatic clapper, with cable	CICLO (DISCONTIN	PKG.1
12 volt, D.C. 24fps constant speed governed motor, with builtin automatic clapper, with bloop system, with cable	CIBLO	PKG.2
8 to 40fps D.C. Variable speed motor with cable	VACIR	PKG.3
120 volt, Light Weight AC synchronous 24fps motor with cable	AS YNC	PKG.4
120 volt, Heavy Duty AC synchronous 24 fps motor with cable	SUSYNC	PKG.5
Crystal Control Motor, motor electronics and cable	KRYMO	PKG.6

6:20:8

-1-

Phone: (213) 933-7182

SPECIFICATIONS	CODE	PRICE
BASIC NPR CAMERA PACKAGES		
NO. 1 with CICLO motor	(DISCONTINUED)	4,910.00
NO. 2 with CIBLO motor		4,970.00
NO. 3 with VACIR motor		4,725.00
NO. 4 with ASYNC motor		4,735.00
NO. 5 with SUSYNC motor		4,855.00
NO. 6 with KRYMO motor		5,685.00
Package with TV Ground Glass	additional	125.00
See page 9 for Turret modifications.		

SPECIFICATIONS	CODE	PRICE
EYEPIECE - SPECIAL		
Special Angenieux Dove prism eyepiece provides non- rotating image no matter how eyepiece is rotated	IMAREC	480.0
MAGAZINE		
16mm COAXIAL TYPE, 400' with feed and take up flanges, film loop protector cover, spindle locks, drive clutch and noisemaker, loop guard noisemaker	CIRMA	860,0
MOTORS		
D. C. Governed Motors:		
NON-BLOOPED MOTOR: Perfectone Type, 12v, D.C., transistor governed constant speed 24 fps motor, with 60 cycle AC sync frequency generator, with builtin automatic clapper, with four-channel power cable	CICLO	8 <b>7</b> 5.0
BLOOPED MOTOR: Perfectone Type, 12v D.C., transistor governed constant speed 24 fps motor, with 60 cycle AC sync frequency generator, with builtin automatic clapper with bloop modified clapper system, with four-channel power cable. Bloop modified automatic clapper system triggers a 1000 cycle oscillator built into recent Nagra Recorders. This tone is recorded on the audio portion of the sound track and is in exact sychronization with the clapper light in the camera	CIBLO	935.0
Speed D. C. Motors:		
Perfectione Type, 12v D.C., variable speed motor from 8 to 40 fps, in two ranges: 8 to 25 fps on 8 volts D.C. and 20 to 40 fps on 12 volts D.C., with builtin tachometer, high-low range switch, with power cable	VACIR	690•0
AC Motors:		
LOW CONSUMPTION (60 Watt) intermittent duty synchronous motor, for synchronous operation with A.C. power packs and from mains.		
24 f/s, 110-120 V. 60 cycle AC, with power cable	AS YNC	700.0

SPECIFICATIONS	CODE	PRICE
HEAVY DUTY continous operation synchronous motor, for synchronous operation from mains.		
24 f/s, 110-120 V. 60 cycle AC, with power cable	SUS YNC	820.00
Sync pulse - blooping package for above; provides manual blooping to camera and recorder, with 1 volt 60 cycle sync pulse to the recorder	SIBLOO	220.00
Crystal Controlled Motor:		
Perfectone type, 12V 24 f/s, 60 cycle reference frequency. Provides, cordless battery powered synchronous operation when used with recorder having matched independent crystal sync pulse generator; there is no link whatsoever between camera and recorder, neither broadcast nor wired, so there are no limits on camera-recorder separation, KRYMO will also operate as synchronous motor in reference to mains frequency and play-back motor in reference to pre-recorded sync pulse; KRYMO also follows any other sync pulse generator output for multiple camera filming and generates its own sync pulse as well. Operates off any standard NPR battery pack or belt. KRYMO activates clapper light in NPR at each camera start but does not trigger bloop oscillator in NAGRA. Crystal Control Motor and motor Electronics only, with cable	KRYMO	1,650.00
Matching leather case for electronics and matching battery		50.00
Crystal controlled motor with electronic control unit, cable, matching Alkaline battery (6AH) and matching leather case		1,815.00 300.00 175.00

	SPECIFICATIONS	CODE	PRICE
	CABLES		
	Power cable for 12 volt, D.C. governed motors	CICAB	36.00
	Power cable for 110 volt, A.C. Sync motor, Low consumption.	CISYNC	28.00
	Power cable for 110 volt, A.C. Sync motor, Heavy duty	NUCAB	38.00
	Sync and Bloop output cable to Nagra	CICSY	32.00
	Sync output cable to Perfectone	PICSY	32.00
	Sync output cable to Uher	UHCSY	36.00
	Remote control start cord to Nagra	RECON	34.00
	Pigtail adapter for use with CIBAT or CIBCO batteries to operate CIBLO motors	APIGG	27.00
	Power cable for KRYMO motor		55.00
	LENSES		
	*12:120mm Angenieux Zoom Lens in Eclair CA-I Mount, complete with sunshade filter retainer ring	ANCAM	860.00
	*9.5:95mm Angenieux Zoom Lens in Eclair CA-I Mount, complete with sunshade filter retainer ring	CANOF	1165.00
	*12.5:75mm Angenieux Zoom Lens in Eclair CA-I Mount, complete with sunshade filter retainer ring	SICAM	780.00
	*25:250mm Angenieux Zoom Lens in Eclair CA-I Mount, complete with sunshade filter retainer ring	ANDIX	3020.00
	5.7mm Kinoptik Lens in Eclair CA-I Mount, complete with 2" x 2" filter holder	TEGIS	701.00
	*Lenses equipped with crank handle - lever on special order only.		
Y			

SPECIFICATIONS	CODE	PRICE
BATTERIES AND CHARGERS		
Universal Battery and Charger Pack:		
NO PIGTAIL ADAPTER REQUIRED TO OPERATE BLOOPED MOTORS:		
ECA Type, battery pack with builtin charger, recommended for use with CICLO, CIBLO, VACIR AND KRYMO MOTORS, 12v 4 AH capacity, heavy duty VO-4 Nickel Cadmium rechargeable cells with voltmeter showing battery condition and sync pulse voltage; with builtin rotary function switch to operate all D.C. motors, including variable speed, blooped motors, and crystal controlled motors. It also gives operator choice of using bloop tone or not, as he so		
desires. Supplied in leather case with carrying strap	UNIBAT	315.0
"SAFT" Nickel-Cadmium Batteries:  PIGTAIL ADAPTER REQUIRED TO OPERATE BLOOPED MOTORS:		
French Type, 12v, Saft VO-4 Nickel-Cadmium battery, with builtin voltmeter showing battery condition, to operate non-blooped D.C. motors, as well as variable speed motors, for use with CICLO, VACIR and KRYMO motors, no pigtail required. A pigtail adapter is required for use with CIBLO motors.		
In Leather Case	CIBAT	212.0
In Metallic Case	CIBCO	214.0
"SAFT" Type Chargers:		
French type, compact charging unit, provides both normal (15 hours) and trickle charge from 120v AC, and 220v AC, equipped with double fuse protection.		
For use with CIBAT or CIBCO batteries	CIBRE	180.0

SPECIFICATIONS	CODE	PRICE
ACCESSORIES		
Studio matte-box with bellows and double filter holder and supporting rod:		
For 2" x 2" filters (not suitable for use with 12/120 lenses	CIPAR	225.00
3" x 3" Studio Matte Box with bellows and removeable multiple rotating stages suitable for use with 12/120 zoom lenses. Will accept 3" x 6" and other pull through filters and double Polaroid filters for fade out effects. Comes complete with two sets of bellows rods (long and short) and adapter for use with Eclair		
Camerette	ROPAR	330.00
Light weight single matte box for 3" x 3" filters	CIBOG	155.00
Zoom or tele-lens support	CISUP	40.00
Spare rod for CIPAR, CIBOG and CISUP	CITIG	20.00
Spare tripod intermediate, as supplied with NPR camera packages (cradle adapter)	CIFIX	200.00
Light weight tripod intermediate with rods and pad	ESAM	150.00
Daylight Spool - 400' Split Flange, 6'2" Diameter	CIBOB	50.00
Barney for NPR camera, lightweight, fiber glass, weighs only 3 pounds and reduces sound level by 6 DBs	ASLEEP	95.00
Lens adapters:		
For use with CA-I Mount lenses fixed type to	CINTA	90.00
For use with Arri Mount lenses to "C" mount	CIRAD	98.00
For use with Arri Mount lenses to Eclair CA-I mount	CARRI	82.00
For use with Kilfitt lenses to Eclair CA-I mount	KILAD	75.00

SPECIFICATIONS	CODE	PRICE
Cases:		
Metal, deep flotation type camera case, contains		
all NPR equipment and accessories, except the magazines	ACICOF	100.0
magaz ines	ACICOF	100.0
Metal, foam lined type magazine case, contains 2 magazines	AMACOF	60.0
Metal, foam lined type magazine case,		
contains 4 magazines	PORCOF	125.0
Metal, felt lined, compact carrying case for the		
NPR camera, contains 2 magazines, sunshade, soom lens, French type battery and charger, and tripod		
intermediate. Special order only. Allow 4 to 6		
weeks for delivery	CICOF	175.0
All prices quoted for information only and subject to change	without	notice
All prices quoted for intormation only and subject to change	WILLIOUT	Torice.

SPECIFICATIONS	CODE	PRICE
LENS MOUNT, TURRET MOUNT AND TURRET MODIFICATIONS:		
*Installed in place of CA-1 mount, each	TARRI Mount	350.00
* Includes two TARRI mounts built into special turret	Double TARRI	970.00
* Includes two CA-1 mounts built into special turret	Double ECLAIR CA-I Turret	370.00
* Includes one Eclair CA-l mount and one TARRI mount built into special turret	Mixed CA-I/ TARRI Turret	625.00
* Includes two "C" mounts in special turret	Double "C" Mount Turret	270.00
Stainless steel "Arri" lens mount	STARRI	80.0
ANDIX Mount(for 25 to 250mm zoom	CANDIX	180.0
Zoom lens Transformation: From any standard mount to Eclair CA-1 mount		137.5
* Includes installation on camera.		
MOTOR MODIFICATIONS		
New Bloop System:		
With this system the sync pulse and bloop tone is taken from a plug installed on the side of the motor. It is not necessary to use the 3 prong Cannon female outlet at the battery, only the 4 prong socket is used. Eliminates need for use of pigtails and provides protection against "hash"		75.0
All prices quoted for information only and subject to chan	ge without noti	ce.